

Electrician Tools

- Cable puller
- fish tape
- fiberglass rod kit



[Cable puller



The cable puller is made from many different materials including steel, fiberglass, and nylon. It has a non-conductive construction for using in telecom, electrical, wall and floor conduit. It is the perfect tool to aid in pulling cables through occupied duct and panel boxes. This cable puller resists corrosion and can safely support up to 200 lbs.

➤ Advantages

- The workability of our product is excellent.
- The product cable puller is also available to the work inserting a wire into a crooked place due to high bending elasticity.
- The product uses non-conductive plastic materials, so there is no risk of electric shock.
- The product can be used for an extended period of time.
- It does not get rusty and corrode.
- It shortens working time remarkably.



Cable puller(Metal) A type



LTM3205A-LTM3230A

Product specification	Item No.	Length(m)	Sizes(mm)	
	LTM3205A	5	3.2×0.5	
	LTM3210A	10	3.2×0.5	
	LTM3215A	15	3.2×0.5	
	LTM3220A	20	3.2×0.5	
	LTM3225A	25	3.2×0.5	
	LTM3230A	30	3.2×0.5	
Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTM3205A	27×14×23	100	7
		27×14×15	60	4.5
		29×15×23	100	14
	LTM3210A	27×14×15	60	8.5
		31×16×23	100	21
	LTM3215A	27×14×15	60	13
		33×17×23	100	28
	LTM3220A	27×14×15	60	17
		35×18×23	100	35
	LTM3225A	27×14×15	60	21
		37×19×23	100	42
	LTM3230A	37×19×23	100	42
		27×14×15	60	25.5

Cable puller(Metal) B type



LTM3205B-LTM3230B

Product specification	Item No.	Length(m)	Sizes(mm)	
	LTM3205B	5	3.2×0.5	
	LTM3210B	10	3.2×0.5	
	LTM3215B	15	3.2×0.5	
	LTM3220B	20	3.2×0.5	
	LTM3225B	25	3.2×0.5	
	LTM3230B	30	3.2×0.5	
Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTM3205B	27×14×23	100	7
		27×14×15	60	4.5
		29×15×23	100	14
	LTM3210B	27×14×15	60	8.5
		31×16×23	100	21
	LTM3215B	27×14×15	60	13
		33×17×23	100	28
	LTM3220B	27×14×15	60	17
		35×18×23	100	35
	LTM3225B	27×14×15	60	21
		37×19×23	100	42
	LTM3230B	37×19×23	100	42
		27×14×15	60	25.5

Cable puller(Metal) C type



LTM3205C-LTM3230C

Product specification	Item No.	Length(m)	Sizes(mm)	
	LTM3205C	5	3.2×0.5	
	LTM3210C	10	3.2×0.5	
	LTM3215C	15	3.2×0.5	
	LTM3220C	20	3.2×0.5	
	LTM3225C	25	3.2×0.5	
	LTM3230C	30	3.2×0.5	
Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTM3205C	27×14×23	100	7
		27×14×15	60	4.5
		29×15×23	100	14
	LTM3210C	27×14×15	60	8.5
		31×16×23	100	21
	LTM3215C	27×14×15	60	13
		33×17×23	100	28
	LTM3220C	27×14×15	60	17
		35×18×23	100	35
	LTM3225C	27×14×15	60	21
		37×19×23	100	42
	LTM3230C	37×19×23	100	42
		27×14×15	60	25.5



Cable puller(Galvanized metal) A type



LTZ3205A-LTZ3230A

Product specification	Item No.	Length(m)	Sizes(mm)	
	LTZ3205A	5	3.2×0.5	
	LTZ3210A	10	3.2×0.5	
	LTZ3215A	15	3.2×0.5	
	LTZ3220A	20	3.2×0.5	
	LTZ3225A	25	3.2×0.5	
	LTZ3230A	30	3.2×0.5	
Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTZ3205A	27×14×23	100	7
		27×14×15	60	4.5
		29×15×23	100	14
	LTZ3210A	27×14×15	60	8.5
		31×16×23	100	21
	LTZ3215A	27×14×15	60	13
		33×17×23	100	28
	LTZ3220A	27×14×15	60	17
		35×18×23	100	35
	LTZ3225A	27×14×15	60	21
		37×19×23	100	42
	LTZ3230A	27×14×15	60	25.5

Cable puller(Galvanized metal) B type



LTZ3205B-LTZ3230B

Product specification	Item No.	Length(m)	Sizes(mm)	
	LTZ3205B	5	3.2×0.5	
	LTZ3210B	10	3.2×0.5	
	LTZ3215B	15	3.2×0.5	
	LTZ3220B	20	3.2×0.5	
	LTZ3225B	25	3.2×0.5	
	LTZ3230B	30	3.2×0.5	
Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTZ3205B	27×14×23	100	7
		27×14×15	60	4.5
		29×15×23	100	14
	LTZ3210B	27×14×15	60	8.5
		31×16×23	100	21
	LTZ3215B	27×14×15	60	13
		33×17×23	100	28
	LTZ3220B	27×14×15	60	17
		35×18×23	100	35
	LTZ3225B	27×14×15	60	21
		37×19×23	100	42
	LTZ3230B	27×14×15	60	25.5

Cable puller(Galvanized metal) C type



LTZ3205C-LTZ3230C

Product specification	Item No.	Length(m)	Sizes(mm)	
	LTZ3205C	5	3.2×0.5	
	LTZ3210C	10	3.2×0.5	
	LTZ3215C	15	3.2×0.5	
	LTZ3220C	20	3.2×0.5	
	LTZ3225C	25	3.2×0.5	
	LTZ3230C	30	3.2×0.5	
Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTZ3205C	27×14×23	100	7
		27×14×15	60	4.5
		29×15×23	100	14
	LTZ3210C	27×14×15	60	8.5
		31×16×23	100	21
	LTZ3215C	27×14×15	60	13
		33×17×23	100	28
	LTZ3220C	27×14×15	60	17
		35×18×23	100	35
	LTZ3225C	27×14×15	60	21
		37×19×23	100	42
	LTZ3230C	27×14×15	60	25.5



Cable puller(Metal) A type



LTM5005A-LTM5030A

Product specification	Item No.	Length(m)	Sizes(mm)	
	LTM5005A	5	5×0.5	
	LTM5010A	10	5×0.5	
	LTM5015A	15	5×0.5	
	LTM5020A	20	5×0.5	
	LTM5025A	25	5×0.5	
	LTM5030A	30	5×0.5	
Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTM5005A	27×14×23	72	7.5
		27×14×15	48	5
		29×15×23	72	14.5
	LTM5010A	27×14×15	48	10
		31×16×23	72	22
	LTM5015A	27×14×15	48	14.5
		33×17×23	72	29
	LTM5020A	27×14×15	48	19.5
		35×18×23	72	36
	LTM5025A	27×14×15	48	24
		37×19×23	72	43.5
	LTM5030A	27×14×15	48	29

Cable puller(Metal) B type



LTM5005B-LTM5030B

Product specification	Item No.	Length(m)	Sizes(mm)	
	LTM5005B	5	5×0.5	
	LTM5010B	10	5×0.5	
	LTM5015B	15	5×0.5	
	LTM5020B	20	5×0.5	
	LTM5025B	25	5×0.5	
	LTM5030B	30	5×0.5	
Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTM5005B	27×14×23	72	7.5
		27×14×15	48	5
		29×15×23	72	14.5
	LTM5010B	27×14×15	48	10
		31×16×23	72	22
	LTM5015B	27×14×15	48	14.5
		33×17×23	72	29
	LTM5020B	27×14×15	48	19.5
		35×18×23	72	36
	LTM5025B	27×14×15	48	24
		37×19×23	72	43.5
	LTM5030B	27×14×15	48	29

Cable puller(Metal) C type



LTM5005C-LTM5030C

Product specification	Item No.	Length(m)	Sizes(mm)	
	LTM5005C	5	5×0.5	
	LTM5010C	10	5×0.5	
	LTM5015C	15	5×0.5	
	LTM5020C	20	5×0.5	
	LTM5025C	25	5×0.5	
	LTM5030C	30	5×0.5	
Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTM5005C	27×14×23	72	7.5
		27×14×15	48	5
		29×15×23	72	14.5
	LTM5010C	27×14×15	48	10
		31×16×23	72	22
	LTM5015C	27×14×15	48	14.5
		33×17×23	72	29
	LTM5020C	27×14×15	48	19.5
		35×18×23	72	36
	LTM5025C	27×14×15	48	24
		37×19×23	72	43.5
	LTM5030C	27×14×15	48	29



Cable puller(Nylon) » Solid $\Phi 3\text{mm}(\pm 0.1\text{mm})$



LTNC3005-LTNC3030

Product specification	Item No.	Length(m)	Diameter(mm)
	LTNC3005	5	$\Phi 3$
	LTNC3010	10	$\Phi 3$
	LTNC3015	15	$\Phi 3$
	LTNC3020	20	$\Phi 3$
	LTNC3025	25	$\Phi 3$
	LTNC3030	30	$\Phi 3$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTNC3005	50×50×26	280	11.5
	LTNC3010	50×50×26	150	12
	LTNC3015	50×50×26	120	15
	LTNC3020	50×50×26	100	16
	LTNC3025	50×50×26	80	16
	LTNC3030	50×50×26	70	17

Color available				
	black	yellow	red	blue

Cable puller(Nylon) » Solid $\Phi 3\text{mm}(\pm 0.1\text{mm})$



LTNZ3005-LTNZ3030

Product specification	Item No.	Length(m)	Diameter(mm)
	LTNZ3005	5	$\Phi 3$
	LTNZ3010	10	$\Phi 3$
	LTNZ3015	15	$\Phi 3$
	LTNZ3020	20	$\Phi 3$
	LTNZ3025	25	$\Phi 3$
	LTNZ3030	30	$\Phi 3$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTNZ3005	50×50×26	280	11.5
	LTNZ3010	50×50×26	150	12
	LTNZ3015	50×50×26	120	15
	LTNZ3020	50×50×26	100	16
	LTNZ3025	50×50×26	80	16
	LTNZ3030	50×50×26	70	17

Color available				
	black	yellow	red	blue

Cable puller(Nylon) » Solid $\Phi 3\text{mm}(\pm 0.1\text{mm})$



LTNL3005-LTNL3030

Product specification	Item No.	Length(m)	Diameter(mm)
	LTNL3005	5	$\Phi 3$
	LTNL3010	10	$\Phi 3$
	LTNL3015	15	$\Phi 3$
	LTNL3020	20	$\Phi 3$
	LTNL3025	25	$\Phi 3$
	LTNL3030	30	$\Phi 3$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTNL3005	50×50×26	280	11.5
	LTNL3010	50×50×26	150	12
	LTNL3015	50×50×26	120	15
	LTNL3020	50×50×26	100	16
	LTNL3025	50×50×26	80	16
	LTNL3030	50×50×26	70	17

Color available				
	black	yellow	red	blue



Cable puller(Nylon) » Solid $\Phi 4\text{mm}(\pm 0.1\text{mm})$



LTNC4005-LTNC4030

Product specification	Item No.	Length(m)	Diameter(mm)
	LTNC4005	5	$\Phi 4$
	LTNC4010	10	$\Phi 4$
	LTNC4015	15	$\Phi 4$
	LTNC4020	20	$\Phi 4$
	LTNC4025	25	$\Phi 4$
	LTNC4030	30	$\Phi 4$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTNC4005	50×50×26	180	13
	LTNC4010	50×50×26	90	13
	LTNC4015	50×50×26	70	15
	LTNC4020	50×50×26	55	16
	LTNC4025	50×50×26	50	18
	LTNC4030	50×50×26	45	19

Color available				
	black	yellow	red	blue

Cable puller(Nylon) » Solid $\Phi 4\text{mm}(\pm 0.1\text{mm})$



LTNZ4005-LTNZ4030

Product specification	Item No.	Length(m)	Diameter(mm)
	LTNZ4005	5	$\Phi 4$
	LTNZ4010	10	$\Phi 4$
	LTNZ4015	15	$\Phi 4$
	LTNZ4020	20	$\Phi 4$
	LTNZ4025	25	$\Phi 4$
	LTNZ4030	30	$\Phi 4$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTNZ4005	50×50×26	180	13
	LTNZ4010	50×50×26	90	13
	LTNZ4015	50×50×26	70	15
	LTNZ4020	50×50×26	55	16
	LTNZ4025	50×50×26	50	18
	LTNZ4030	50×50×26	45	19

Color available				
	black	yellow	red	blue

Cable puller(Nylon) » Solid $\Phi 4\text{mm}(\pm 0.1\text{mm})$



LTNY4005-LTNY4030

Product specification	Item No.	Length(m)	Diameter(mm)
	LTNY4005	5	$\Phi 4$
	LTNY4010	10	$\Phi 4$
	LTNY4015	15	$\Phi 4$
	LTNY4020	20	$\Phi 4$
	LTNY4025	25	$\Phi 4$
	LTNY4030	30	$\Phi 4$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTNY4005	50×50×26	180	13
	LTNY4010	50×50×26	90	13
	LTNY4015	50×50×26	70	15
	LTNY4020	50×50×26	55	16
	LTNY4025	50×50×26	50	18
	LTNY4030	50×50×26	45	19

Color available				
	black	yellow	red	blue



Cable puller(Nylon) » Solid $\Phi 4.3\text{mm}(\pm 0.1\text{mm})$



LTNO4410-LTNO4460

Product specification	Item No.	Length(m)	Diameter(mm)
	LTNO4410	10	$\Phi 4.3$
	LTNO4415	15	$\Phi 4.3$
	LTNO4430	30	$\Phi 4.3$
	LTNO4450	50	$\Phi 4.3$
	LTNO4460	60	$\Phi 4.3$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTNO4410	42×42×33	25	4
	LTNO4415	42×42×38	25	6
	LTNO4430	49×49×48	25	12
	LTNO4450	50×50×49	25	20
	LTNO4460	51×51×49	25	24

Cable puller(Nylon) » Solid $\Phi 4.5\text{mm}(\pm 0.1\text{mm})$



LTNC4510-LTNC4560

Product specification	Item No.	Length(m)	Diameter(mm)
	LTNC4510	10	$\Phi 4.5$
	LTNC4515	15	$\Phi 4.5$
	LTNC4530	30	$\Phi 4.5$
	LTNC4550	50	$\Phi 4.5$
	LTNC4560	60	$\Phi 4.5$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTNC4510	42×42×34	25	5
	LTNC4515	42×42×39	25	7.5
	LTNC4530	50×50×48	25	13
	LTNC4550	51×51×49	25	21
	LTNC4560	52×52×50	25	25

Cable puller(Nylon) » Solid $\Phi 4.3\text{mm}(\pm 0.1\text{mm})$



LTNB4410-LTNB4460

Product specification	Item No.	Length(m)	Diameter(mm)
	LTNB4410	10	$\Phi 4.3$
	LTNB4415	15	$\Phi 4.3$
	LTNB4430	30	$\Phi 4.3$
	LTNB4450	50	$\Phi 4.3$
	LTNB4460	60	$\Phi 4.3$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTNB4410	42×42×33	25	4
	LTNB4415	42×42×38	25	6
	LTNB4430	49×49×48	25	12
	LTNB4450	50×50×49	25	20
	LTNB4460	51×51×49	25	24



Cable puller(Fiberglass) »With filling $\Phi 6\text{mm}(\pm 0.1\text{mm})$



LTFL6005-LTFL6030

Product specification	Item No.	Length(m)	Diameter(mm)
	LTFL6005	5	$\Phi 6$
	LTFL6010	10	$\Phi 6$
	LTFL6015	15	$\Phi 6$
	LTFL6020	20	$\Phi 6$
	LTFL6025	25	$\Phi 6$
	LTFL6030	30	$\Phi 6$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTFL6005	34×34×35	25	5
	LTFL6010	34×34×36	25	10
	LTFL6015	35×35×37	25	15
	LTFL6020	35×35×38	25	20
	LTFL6025	36×36×39	25	25
	LTFL6030	36×36×40	25	30

Cable puller(Fiberglass) »With filling $\Phi 4\text{mm}(\pm 0.1\text{mm})$




LTFL4005-LTFL4030

Product specification	Item No.	Length(m)	Diameter(mm)
	LTFL4005	5	$\Phi 4$
	LTFL4010	10	$\Phi 4$
	LTFL4015	15	$\Phi 4$
	LTFL4020	20	$\Phi 4$
	LTFL4025	25	$\Phi 4$
	LTFL4030	30	$\Phi 4$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTFL4005	33×33×23	25	3
	LTFL4010	33×33×24	25	6
	LTFL4015	34×34×25	25	9
	LTFL4020	34×34×26	25	12
	LTFL4025	35×35×27	25	13
	LTFL4030	35×35×28	25	15

Cable puller(Fiberglass) »With filling $\Phi 3\text{mm}(\pm 0.1\text{mm})$



LTFL3005-LTFL3030

Product specification	Item No.	Length(m)	Diameter(mm)
	LTFL3005	5	$\Phi 3$
	LTFL3010	10	$\Phi 3$
	LTFL3015	15	$\Phi 3$
	LTFL3020	20	$\Phi 3$
	LTFL3025	25	$\Phi 3$
	LTFL3030	30	$\Phi 3$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTFL3005	33×33×16	25	3
	LTFL3010	33×33×22	25	5
	LTFL3015	34×34×26	25	7
	LTFL3020	34×34×29	25	9
	LTFL3025	35×35×32	25	11
	LTFL3030	35×35×34	25	13



Cable puller(More rod) » With filling $\Phi 4\text{mm}(\pm 0.1\text{mm})$



Product specification	Item No.	Length(m)	Diameter(mm)
	LTMR4005	5	$\Phi 4$
	LTMR4010	10	$\Phi 4$
	LTMR4015	15	$\Phi 4$
	LTMR4020	20	$\Phi 4$
	LTMR4025	25	$\Phi 4$
	LTMR4030	30	$\Phi 4$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTMR4005	38×38×20	60	13
	LTMR4010	39×39×22	40	17
	LTMR4015	39×39×28	40	25
	LTMR4020	40×20×28	20	17
	LTMR4025	42×21×28	20	21
	LTMR4030	44×22×28	20	25


Cable puller(Single rod) » With filling $\Phi 4\text{mm}(\pm 0.1\text{mm})$



Product specification	Item No.	Length(m)	Diameter(mm)
	LTSR4005	5	$\Phi 4$
	LTSR4010	10	$\Phi 4$
	LTSR4015	15	$\Phi 4$
	LTSR4020	20	$\Phi 4$
	LTSR4025	25	$\Phi 4$
	LTSR4030	30	$\Phi 4$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTSR4005	42×42×20	25	5
	LTSR4010	42×42×27	25	9
	LTSR4015	43×43×32	25	13
	LTSR4020	43×43×38	25	17
	LTSR4025	44×44×42	25	21
	LTSR4030	44×44×47	25	25

Cable puller(More rod) » With filling $\Phi 4\text{mm}(\pm 0.1\text{mm})$



Product specification	Item No.	Length(m)	Diameter(mm)
	LTBM4005	5	$\Phi 4$
	LTBM4010	10	$\Phi 4$
	LTBM4015	15	$\Phi 4$
	LTBM4020	20	$\Phi 4$
	LTBM4025	25	$\Phi 4$
	LTBM4030	30	$\Phi 4$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTBM4005	42×42×20	25	5
	LTBM4010	42×42×27	25	9
	LTBM4015	43×43×32	25	13
	LTBM4020	43×43×38	25	17
	LTBM4025	44×44×42	25	21
	LTBM4030	44×44×47	25	25



Cable puller(Polyester) » Twine $\Phi 6\text{mm}(\pm 0.15\text{mm})$



LT3PY6015-LT3PY6050

Product specification	Item No.	Length(m)	Diameter(mm)
	LT3PY6015	15	$\Phi 6$
	LT3PY6020	20	$\Phi 6$
	LT3PY6025	25	$\Phi 6$
	LT3PY6030	30	$\Phi 6$
	LT3PY6040	40	$\Phi 6$
	LT3PY6050	50	$\Phi 6$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LT3PY6015	39×39×37	20	14
	LT3PY6020	39×39×37	16	14
	LT3PY6025	39×39×37	14	14
	LT3PY6030	39×39×37	10	14
	LT3PY6040	39×39×37	6	14
	LT3PY6050	39×39×37	5	14

Cable puller(Polyester) » Twine $\Phi 6\text{mm}(\pm 0.15\text{mm})$



LT3PB6015-LT3PB6050

Product specification	Item No.	Length(m)	Diameter(mm)
	LT3PB6015	15	$\Phi 6$
	LT3PB6020	20	$\Phi 6$
	LT3PB6025	25	$\Phi 6$
	LT3PB6030	30	$\Phi 6$
	LT3PB6040	40	$\Phi 6$
	LT3PB6050	50	$\Phi 6$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LT3PB6015	39×39×37	20	14
	LT3PB6020	39×39×37	16	14
	LT3PB6025	39×39×37	14	14
	LT3PB6030	39×39×37	10	14
	LT3PB6040	39×39×37	6	14
	LT3PB6050	39×39×37	5	14

Cable puller(Polyester) » Twine $\Phi 4\text{mm}(\pm 0.1\text{mm})$



LT3PO4005-LT3PO4030

Product specification	Item No.	Length(m)	Diameter(mm)
	LT3PO4005	5	$\Phi 4$
	LT3PO4010	10	$\Phi 4$
	LT3PO4015	15	$\Phi 4$
	LT3PO4020	20	$\Phi 4$
	LT3PO4025	25	$\Phi 4$
	LT3PO4030	30	$\Phi 4$

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LT3PO4005	39×39×27	70	9
	LT3PO4010	39×39×27	45	9
	LT3PO4015	39×39×27	30	9
	LT3PO4020	39×39×27	25	9
	LT3PO4025	39×39×27	20	9
	LT3PO4030	39×39×27	15	9



Copper plating cable puller(Steel spiral wine)D Type Φ3mm



Product specification	Item No.	Length(m)	Diameter(mm)
	LTCP3005D	5	Φ3
	LTCP3010D	10	Φ3
	LTCP3015D	15	Φ3
	LTCP3020D	20	Φ3
	LTCP3025D	25	Φ3
	LTCP3030D	30	Φ3

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTCP3005D	36×19×23	96	30
	LTCP3010D	36×19×23	48	30
	LTCP3015D	36×19×23	32	30
	LTCP3020D	36×19×23	24	30
	LTCP3025D	36×19×23	20	30
	LTCP3030D	36×19×23	16	30

Cable puller(Steel spiral wire)D Type Φ3mm Φ3.8mm Φ4.6mm Φ5mm



Product specification	Item No.	Length(m)	Diameter(mm)
	LTM3005D	5	Φ3
	LTM3010D	10	Φ3
	LTM3015D	15	Φ3
	LTM3020D	20	Φ3
	LTM3025D	25	Φ3
	LTM3030D	30	Φ3

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTM3005D	36×19×23	96	30
	LTM3010D	36×19×23	48	30
	LTM3015D	36×19×23	32	30
	LTM3020D	36×19×23	24	30
	LTM3025D	36×19×23	20	30
	LTM3030D	36×19×23	16	30

Cable puller(Wire steel)



Product specification	Item No.	Length(m)	Sizes(mm)
	LTFM1315	15	1.3×3
	LTFM1330	30	1.3×3
	LTFM1360	60	1.3×3

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTFM1315	41×41×13	20	10
	LTFM1330	44×22×15	10	10
	LTFM1360	25×25×17	5	10

[Fish Tape

A fish tape(also known as a draw wire or draw tape) is a tool used by electricians to route new wiring through walls and electrical conduit.It can reuse and carry conveniently.handle designed tender and no angle can protect your hand when you use it.

The unique sloped handle optimizes

The position of your hand for quick hand-over-hand rewinds and allows a more lever payout of tape on the back swing while feeding conduit.

Reasonable case diameter


Allows you to reel in 15% more tape in a single revolution than similar sized 12 tapes saving your time and effort.

Polypropylene case and handle

They are extremely durable and offer the maximum in shock and impact resistance.

Round inner ring design

provides a smooth,consistent and comfortable surface for winding and rewinding.



Advantages

» Friction space minimized

Our product allows for fast operation by minimizing friction space with one or four

» High elasticity and tensile strength

Our product has good workability and will not be easily broken while at work.

» Safety

Because our product uses non-conductive materials, it is safe from electric shock.

» convenient

The head of the fish tape is large enough to feed 3-4 of 2.5mm wires together,



Fish tape (Wine)



Product specification	Item No.	Length(m)	Diameter(mm)
	LTF-SM8030	30	1.3×3
	LTF-SM8045	45	1.3×3
	LTF-SM8060	60	1.3×3
	LTF-SM8075	75	1.3×3
	LTF-SM80100	100	1.3×3

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTF-SM8030	43×33×34	6	9
	LTF-SM8045	43×33×34	6	12
	LTF-SM8060	43×33×34	6	15
	LTF-SM8075	43×33×34	6	18
	LTF-SM80100	43×33×34	6	23

Fish tape (Fiberglass)



Product specification	Item No.	Length(m)	Diameter(mm)
	LTF-FL8030	30	Φ4
	LTF-FL8045	45	Φ4
	LTF-FL8060	60	Φ4
	LTF-FL8075	75	Φ4

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTF-FL8030	43×33×34	6	7
	LTF-FL8045	43×33×34	6	9
	LTF-FL8060	43×33×34	6	11
	LTF-FL8075	43×33×34	6	12

Fish tape (Single rod)



Product specification	Item No.	Length(m)	Diameter(mm)
	LTF-SR8030	30	Φ4
	LTF-SR8045	45	Φ4
	LTF-SR8060	60	Φ4
	LTF-SR8075	75	Φ4

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTF-SR8030	43×33×34	6	10
	LTF-SR8045	43×33×34	6	13
	LTF-SR8060	43×33×34	6	16
	LTF-SR8075	43×33×34	6	19



Fish tape (Wine)



LTF-SM6030—LTF-SM60100

Product specification	Item No.	Length(m)	Diameter(mm)
	LTF-SM6030	30	1.3×3
	LTF-SM6045	45	1.3×3
	LTF-SM6060	60	1.3×3
	LTF-SM6075	75	1.3×3
	LTF-SM60100	100	1.3×3

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTF-SM6030	43×33×34	6	9
	LTF-SM6045	43×33×34	6	12
	LTF-SM6060	43×33×34	6	15
	LTF-SM6075	43×33×34	6	18
	LTF-SM60100	43×33×34	6	23

Fish tape (Fiberglass)



LTF-FL6030—LTF-FL6075

Product specification	Item No.	Length(m)	Diameter(mm)
	LTF-FL6030	30	Φ4
	LTF-FL6045	45	Φ4
	LTF-FL6060	60	Φ4
	LTF-FL6075	75	Φ4

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTF-FL6030	43×33×34	6	7
	LTF-FL6045	43×33×34	6	9
	LTF-FL6060	43×33×34	6	11
	LTF-FL6075	43×33×34	6	12

Fish tape (Single rod)



LTF-SR6030—LTF-SR6075

Product specification	Item No.	Length(m)	Diameter(mm)
	LTF-SR6030	30	Φ4
	LTF-SR6045	45	Φ4
	LTF-SR6060	60	Φ4
	LTF-SR6075	75	Φ4

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTF-SR6030	43×33×34	6	10
	LTF-SR6045	43×33×34	6	13
	LTF-SR6060	43×33×34	6	16
	LTF-SR6075	43×33×34	6	19



Fish tape (Wine)



Product specification	Item No.	Length(m)	Diameter(mm)
	LTFB1330	30	1.3×3
	LTFB1340	40	1.3×3
	LTFB1350	50	1.3×3
	LTFB1360	60	1.3×3

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTFB1330	37×32×23	6	8
	LTFB1340	37×32×23	6	10
	LTFB1350	37×32×23	6	12
	LTFB1360	37×32×23	6	14

Fish tape (Wine)



Product specification	Item No.	Length(m)	Diameter(mm)
	LTFS1310	10	1.3×3
	LTFS1315	15	1.3×3
	LTFS1320	20	1.3×3
	LTFS1325	25	1.3×3
	LTFS1330	30	1.3×3

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTFS1310	44×28×24	12	7
	LTFS1315	44×28×24	12	9
	LTFS1320	44×28×24	12	10
	LTFS1325	44×28×24	12	12
	LTFS1330	44×28×24	12	14

Fish tape (CARBON Steel)



Product specification	Item No.	Length(m)	Diameter(mm)
	LTCS7605	5	7×0.6
	LTCS7606	6	7×0.6
	LTCS7607	7	7×0.6
	LTCS7610	10	7×0.6
	LTCS7612	12	7×0.6
	LTCS7615	15	7×0.6

Outside the box material	Item No.	Meas(cm)	Pcs/Ctn	N.W.(kg)
	LTCS7605	38×23×20	12	5
	LTCS7606	38×23×20	12	5.5
	LTCS7607	38×23×20	12	6
	LTCS7610	38×23×20	12	7
	LTCS7612	38×23×20	12	8
	LTCS7615	38×23×20	12	9

Fiberglass Rod Kit



Introduction

Coated in a non-metal/non-conductive yellow finish, these fiberglass cable rods will protect delicate wires as they run through tight spaces, behind walls, and through ceilings. Not only is this a better way to fish for and feed cables, but the push-pull rods are compatible with telescoping poles. Plus the several attachments included in the kit, this is a powerhouse for cable installation.

With this push-pull rod set, it is easier to install cables through the wall. Each component can flexibly attach to the other component. Made of highly durable polypropylene fiberglass, these cable push/pull poles are durable, will not rust or corrode, and can be used inside or outside of a conduit.




Accessories



Fiberglass rod kit




Fiberglass rod kit > Each section:1m Φ 4mm



LTFRK100-4

Product specification	Each section	Each section is 1m
	Diameter(mm)	4mm
	Length(m)	1m
	Head rods	Nylon rods with high flexibility
	Package	10 piece a suit
	Dimensions	Customizable
	Single package size	106cm×2.5cm
	Materia	Fiberglass
	Brass hook end for pulling Brass eye end for pushin Can be set to any angle	

Fiberglass rod kit > Each section:1m Φ 6mm




LTFRK100-6

Product specification	Each section	Each section is 1m
	Diameter(mm)	6mm
	Length(m)	1m
	Head rods	Nylon rods with high flexibility
	Package	10 piece a suit
	Dimensions	Customizable
	Single package size	107cm×3.5cm
	Materia	Fiberglass
	Brass hook end for pulling Brass eye end for pushin Can be set to any angle	




Fiberglass rod kit » Each section:1.2m Φ4mm



LTFRK120-4

Product specification	Each section	Each section is 1.2m
	Diameter(mm)	4mm
	Length(m)	1m
	Head rods	Nylon rods with high flexibility
	Package	10 piece a suit
	Dimensions	Customizable
	Single package size	126X2.5cm
	Materia	Fiberglass
	Brass hook end for pulling Brass eye end for pushin Can be set to any angle	


Fiberglass rod kit » Each section:1.2m Φ6mm



LTFRK100-4

Product specification	Each section	Each section is 1.2m
	Diameter(mm)	6mm
	Length(m)	1m
	Head rods	Nylon rods with high flexibility
	Package	10 piece a suit
	Dimensions	Customizable
	Single package size	126X4.5cm
	Materia	Fiberglass
	Brass hook end for pulling Brass eye end for pushin Can be set to any angle	

Fiberglass rod kit » Each section:33.55cm Φ4mm



LTFRK100-6

Product specification	Each section	Each section is 1m
	Diameter(mm)	4mm
	Length(m)	33.55cm
	Head rods	Nylon rods with high flexibility
	Package	10 piece a suit
	Dimensions	Customizable
	Single package size	40X2.5cm
	Materia	Fiberglass
	Brass hook end for pulling Brass eye end for pushin Can be set to any angle	



Sorrooh Majan International LLC

Tel: +968 22326203

Mobile: +968 96600779, +968 94800097

Email: info@sorroohcables.com

Web: www.sorroohcables.com